

Data sheet of Bitumen 60/70

R	BITUMEN 60/70	Specification	Test Method
1	Specific Gravity @ 25/25 C	1.01-1.06	D-70
2	Penetration @ 25 C	60/70	D-5
3	Softening Point C	49/56	D-36
4	Ductility @ 25 C	100 Min	D-113
5	Loss on Heating (wt)%	0.2 max	D-6
6	Drop in Penetration after Heating%	20 max	D-6& D-5
7	Flash Point C	250 Min	D-92
8	Solubility in Cs2 (wt)% nCs2(wt)	99.5 min	D-4
9	Organic Matter insoluble in Cs2(wt)%	0.2 max	D-4
10	Spot Test	Negative	A.A.S.H.O.T.102